

# LANIER



## Lanier SP5200DN

High performance and feature packed

Copier  Printer  Fax  Scanner



SP5200DN

45<sup>B/W</sup>  
ppm

# deliver everyday documents with exceptional efficiency

Choose the Lanier® SP5200DN laser printer to accommodate demanding workloads without compromising efficiency, productivity or your budget. Ideal for mid-volume print environments, this robust system offers outstanding speed, flexible paper handling and convenient management tools in a compact design. Now you can quickly and securely produce a wide range of network and host print jobs with high-quality output and low per-page print costs to reduce total cost of ownership. The SP5200DN printer is designed to improve workflow so you can meet the most exacting deadlines and maximise efficiency throughout your organisation.

## Convenience in a Compact Design

**Engineered to make everyday tasks easier, the Lanier SP5200DN packs a wide range of innovative features in a space-saving footprint.**

- Streamline maintenance and significantly reduce cost-per-page with a robust all-in-one (AIO) print cartridge that can be replaced in seconds.
- Execute a wide range of print functions quickly—including data entry, locked print retrieval and consumables management—via a 4-line LCD control panel and 12-key alphanumeric keypad.
- Support a wide range of media sizes—up to A4 and up to 220 g/m<sup>2</sup> for one-sided pages and up to 163 g/m<sup>2</sup> for duplex printing—from front-loaded, user-adjustable trays.



All-in-One print cartridges can be replaced in seconds for maximum uptime and do-it-yourself convenience and efficiency.



## Speed, productivity and low TCO

User-friendly, eco-friendly and cost-efficient, this device supports the print needs of busy offices. For larger workgroups, our space-saving design scan expand from a desktop model to a 45ppm, five tray floor standing powerhouse.

## Boost your productivity

The fast CPU ensures the SP5200DN sprints into action: 7.5 seconds to first-page print out after warm up, and print at continuous speeds of 45 ppm. Easy paper handling saves time and helps make office life easier. With a 550-sheet input tray and a 100 sheet bypass tray as standard, these models also have the option to add on an additional four 550 sheet trays, meaning they can expand up to a maximum of a 2,850-sheet input.

## Well connected

The SP5200DN provides easy connection to your network with simple, time-saving driver installation. Full @Remote compatibility provides real-time remote support for performance monitoring and diagnosis management to boost efficiency. While our optional genuine IPDS™ module streamlines your print workflow for smooth document handling and minimised management costs.

## Easy on the environment

Sustainability is a strong part of our heritage, and is a key element of every part of our company. From manufacturing to distribution, business sites to recycling. Maximising efficiency is a firm commitment, and that's why the SP5200DN is Energy Star compliant. Duplex printing, all-in-one toners and low power consumption also help to save energy and expense.



## The Total Green Office Solution



Lanier continues its long-standing commitment to developing office solutions with environmentally friendly and superior energy- and supply-saving features, without compromising productivity.

# Specifications and information

## GENERAL

Technology:	Laser beam scanning & electrophotographic printing, All-In-One Print Cartridge Technology
Continuous print speed:	45 prints per minute
Warm-up time:	20 seconds or less 7.5
First print speed:	seconds or less kg
Dimensions (W x D x H):	411 x 435 x 400 mm
Weight:	Less than 23
Power source:	220 - 240 V, 50 - 60 Hz
Power consumption:	Maximum: 1,400 W or less Energy saver mode: 5 W or less
Duty cycle:	200,000 pages per month

## CONTROLLER

Processor:	533 MHz
Printer language/resolution:	PCL5e/6, Adobe PostScript 3, PDF, IPDS (Option) Up to 1,200 x 600 dpi (1bit)
Memory:	Standard: 256/768 MB Maximum: 768 MB
Drivers:	PCL5e/6 PostScript3: Windows XP/Vista/7/8 Server 2003/2008 Mac OS 8.6 or later Mac OSX IPDS (genuine)
Fonts:	PCL: 45 fonts + 13 International fonts PostScript3: 136 fonts IPDS: 108 fonts (Option)

## CONNECTIVITY

Network protocol:	TCP/IP (IPv4, IPv6), IPX/SPX, Apple Talk, Bonjour
Supported environments:	Windows XP/Vista/Server 2003/2008 (32 bit, 64 bit)/7, Macintosh OS (v 8.6 or later), Novell Netware (v 6.5 or later), Unix (using Ricoh Unix filter)
Interface:	USB 2.0 (Type A & B) Ethernet (100BASE-TX/10BASE-T)

## SOFTWARE SOLUTIONS

Standard:	DeskTopBinder™, SmartDeviceMonitor™ for Client, Font Manager 2000, Web Image Monitor, Printer utility for Macintosh
-----------	---

Option:	SmartDeviceMonitor™ for Admin Accounting Report Package, Remote Communication Gate S Pro
---------	--

## PAPER HANDLING

Paper input capacity:	Standard: 1 x 550-sheet paper tray 100-sheet multi-bypass tray Maximum: 2,850 sheets 500 sheets Paper size: A6 - A4
Paper output capacity:	Standard tray: 52 - 220 g/m <sup>2</sup> Bypass tray: 52 - 220 g/m <sup>2</sup> Duplex tray: 60 - 163 g/m <sup>2</sup>
Paper weight:	Standard tray/optional tray: Plain paper, Recycled paper, Middle thick paper, Thick paper 1, Thick paper 2, Thick paper 3, Thin paper, Letterhead, Labels, Preprinted paper, Special paper 1, Special paper 2, Special paper 3, Colour paper
Media:	Bypass tray: Plain paper, Middle thick, Thick paper 1, Thick paper 2, Thick paper 3, Thin paper, Letterhead, Label paper, Special paper 1, Special paper 2, Special paper 3, Preprinted paper, Colour paper, Recycled paper, OHP (Transparency), Envelope

## CONSUMABLES

Toner:	Black: 25,000 sheets
Machine ships with starter kit that yield 6,000 pages.	
Declared yield value in accordance with ISO/IEC 19752.	

## OPTIONS

Internal options:	256 MB Memory, 512 MB Memory, Hard Disk Drive, VM Card, Netware, IPDS unit, Gigabit Ethernet Board, IEEE802.11a/g
External options:	Paper feed unit (TK1120), Paper feed unit (TK1130), Low Cabinet, Medium Cabinet, High Cabinet

For availability of models, options and software, please consult your local Ricoh supplier.

# LANIER

Copywell Australia Pty Ltd

24/2-4 Damian Court Dandenong Vic 3175

Ph: (03) 9793 7773

Email: [sales@copywell.com.au](mailto:sales@copywell.com.au)

[www.copywell.com.au](http://www.copywell.com.au)