A4 Digital Colour Laser Printer



RICOH P C301W M C250FW



Vibrant Business Colour

Adding impact to your everyday print communications, putting vibrant and productive colour printing within easy and affordable reach.

Class-leading Functionality

Perfect for small offices with demanding print requirements, RICOH P C301W and M C250FW help to save space without compromising on quality or performance. To keep pace with demand, vibrant colour and black-and-white output is delivered at up to 25 pages per minute. And, with Near Field Communication (NFC) which makes connection as easy as tap and go, brilliant everyday colour is now within everyone's reach.





Productive Time-saving Features

To simplify your print environment, Ricoh offers single and multi-function versions of the same advanced print engine. RICOH M C250FW is a compact fax-enabled 4-in-1 MFP. Its large colour touchscreen simplifies operation and to ensure time saving, the standard Single Pass Document Feeder (SPDF) quickly scans double-sided originals in a single pass. The addition of an optional second paper tray expands capacity and provides flexibility to enable different sizes and types of paper stocks to be ready for use.

Easy Installation and Support

Easy to install, RICOH P C301W and M C250FW will work seamlessly in any virtual environment. Windows, Mac and even Linux are supported to improve access and users can connect using AirPrint, Mopria and Google Cloud Print. With Wi-Fi Direct and Near Field Communication (NFC) built in, it has never been easier to join a network. Furthermore, with their high yield cartridges, these reliable desktop devices offer best-in-class total costs of ownership.





Security in our DNA

Recognising modern business security challenges, RICOH P C301W and M C250FW ensures business information remains secure with robust security layers in place. Manage your confidential documents with the Locked Print function and only release when authentication is done at the device.

RICOH P C301W / M C250FW

MAIN SPECIFICATIONS

MODEL	RICOH P C301W	RICOH M C250FW
SENERAL		
unction (s)	Print	Copy, Print, Scan, Fax
Operation panel	4-Line LCD	4.3" Touchscreen Operation Panel
Varm-up time	20 seconds	
irst output speed : B/W	9.4 seconds	
irst output speed : Full Colour	9.8 seconds	
Continuous output speed	25 ppm	
	25 ppm 256MB	
Memory PDE capacity	250MB 50 sheets	
PDF capacity	25kg ov less	
Veight [Mainframe] Dimensions W x D x H	25kg or less 400 x 450 x 334 mm	30kg or less 420 x 493 x 473 mm
	220 - 240V, 50/60Hz	
Power source	220 - 2401	r, 50/60H2
COPIER		
Multiple copying	·	Up to 99 copies
tesolution	•	600 dpi
oom	•	From 25% to 400% in 1% steps
RINTER		
PU	350MHz	400MHz
rinter language	PCL5c, PCL6, PostScript3 (Emulation)	
Print resolution	600 x 600 dpi (2,400 x 600 dpi equivalent)	
letwork interface	Standard: USB2.0, 10Base-T/100Base-TX, IEEE802.11a/b/g/n/ac (Wireless LAN, 2.4GHz / 5GHz)	
Mobile printing capability	RICOH SmartDevice Connector, Apple AirPrint™*, Google Cloud Print, Mopria, NFC	
Vindow® environments	Window® 7/8.1/10. Window® Server 2008/2008 R2/2012 R2/2016/2019	
Mac OS environments	MAC OS 10.10 - 10.14 - PostScript 3 only	
Other supported environment	Lir	ux
CANNER		
canning speed	-	B/W: 10ipm
		Colour: 6ipm
desolution	<u> </u>	75 - 19,200 dpi (optical resolution maximum 1,200 dpi)
Compression method	·	B&W: TIFF (MH/MR/MMR), JPEG (Grayscale), PDF, Colour: PDF, JPEG
ile formats	•	Single Page TIFF, Multi Page TIFF, Single Page JPEG Single Page PDF, Multi Page PDF, High Compression PDF
ican modes	-	Email, Folder, Network TWAIN, USB
ACSIMILE		
Circuit		PSTN, PB
Tranmission speed		3 seconds
Modem speed	-	33.6 Kbps - 2,400bps with Auto Fallback
Resolution : Standard		8 x 3.85 lone/mm, 200 x 100 dpi
esolution : detail, photo		8 x 7.7 lone/mm, 200 x 200 dpi
Compression method		MH, MR, MMR, JBIG
Memory	<u> </u>	2.5MB
SECURITY		
eatures	User Code Authentication, Wireless LAN Security	
APER HANDLING	ose: Code Addientication	
ecommended paper size	A4 R5 A5 R6 A6 Legal HIT Evecutive Footson	Folio 16K Com10 Monarch C5 Env C6 Env DI Env Letter Custom size
	A4, B5, A5, B6, A6, Legal, HLT, Executive, Foolscap, Folio, 16K, Com10, Monarch, C5 Env, C6 Env, DL Env, Letter, Custom size Standard: 250 sheets (excluding bypass 1 sheet)	
aper input capacity	Maximum: 751 sheets (including bypass 1 sheet)	
aper output capacity	150 sheets	
aper weight	Standard Tray: 60 - 163g/m², Bypass: 60 - 163g/m², Duplex: 60 - 90g/m²	
aper types	Plain paper 1/2, Recycled paper, Middle thick paper, Thick paper 1/2, Thin paper, Colour paper, Letterhead, Preprinted, Prepunched Paper, Labels, Bond, Cardstock, Envelope	
COLOGY		
ower consumption : Maximum	1,30	
ower consumption : Ready mode	32.8W	35.4W
ower consumption : Sleep mode	0.66W	0.74W
EC value	0.40 kWh	0.35 kWh
OUTPUT TRAY OPTION		
x 500-sheet paper tray (TK1220)	Danar ciza: AA Lattar Da	ner weight: 60 - 105g/m²
ONSUMABLES	Paper size: A4, Letter, Paper weight: 60 - 105g/m²	
tarter toner	Diach 1 000 magas	Colour: 1 000 pages
LOI	Black: 1,000 pages, Colour: 1,000 pages	
Toner (K - Black)		pages

RICOH imagine. change.

13 RICOH ricoh.com.au











