Wide Format Digital Imaging System

RICOH MP W6700SP

☑Copier ☑Printer ☑Scanner







RICOH MP W6700SP

High functionality at a reasonable price, strongly support your business with excellent performance.

Monochrome wide format MFP, the RICOH MP W6700SP has excellent operability and scanner performance. High productivity given by newly developed controller and engine and high operability of documents provide efficient copy and release of drawing works even in small spaces. Moreover, the RICOH MP W6700SP has a full-color scanner function and a function to suppress the size of scan data. These functions provide manageable digitalized drawings. The RICOH MP W6700SP which has various functions like high-end machine is available at a reasonable price and will support your business.




USABILITY

Paper handling function allowing simple operations.

With internal paper ejection mechanism, the RICOH MP W6700 SP stacks papers to be printed and copied on a level. You can easily take them and work efficiently in front of the machine even in small spaces. In addition, You can choose between an optional Multi-Stacker or Double-Stacker, the RICOH MP W6700SP also stacks the large size drawings, which improves handleability of documents.





HIGH PRODUCTIVITY

Newly developed controller and engine provide high productivity.

In addition to the new controller processing print data fast, the RICOH MP W6700SP adopts a new engine system, achieving high productivity in various situations.

Continuous output speed *1 A0:3.7cpm, A1 horizontal:6.7cpm First copy time *2 A1 horizontal:17seconds Warm-up time *3 2 minutes



*1 Continuous speed of second and subsequent sheets.

*2 Time from the original reading start to the paper ejection completion. 1st roll feed, rear paper ejection. *3 When the room temperature is 23°C. The number depends on your environment and circumstances.

RICOH MP W6700SP composition of functions

Product name	СРМ		Plotter	Full-color	HDD	1 or 2	Manual paper
	A0 vertical	A1 horizontal	function	scanner function	ноо	roll paper feeder	feeder
RICOH MP W6700SP	3.7 cpm	6.7 cpm	Standard	Standard	Standard	Standard	Standard

FULL-COLOR SCANNER

Enable high quality scan and digitize into manageable data.

Equipped with full-color scanner function as standard, the RICOH MP W6700SP has achieved a 600dpi high-quality full-color scan even in size A0. In addition, the RICOH MP W6700SP has some features such as resolution specification from 150dpi to 600dpi, high compression PDF creation, and scanner magnification change. You can digitize drawings and documents into various data sizes to your needs.

RICOH MP W6700SP

MAIN SPECIFICATIONS

GENERAL		Paper Output Capacity:	Inner: 99 sheets @ A1/D LEF (plain paper) (Larger than A1/D size cannot be stacked), 10		
Technology:	Electro-photographic printing		sheets @ A1/D LEF (application paper) 1 sheet		
Fusing:	Heat and pressure		film		
			Rear: 10 sheets @ A1/D Portrait, A0/E SEF (plair		
Toner Type:	Magnetic brush dual component dry toner		paper) (Smaller than A2/C size cannot be		
Duringt Carlo and	system		stacked), 1sheet @ A1/D Portrait, A0/E SEF		
Print Speed:	3.3 ppm @A0/E SEF 6.7 ppm @A1/D LEF		(application paper), 1sheet @ film		
Print Resolution:	RPCS (Emulation): 600 dpi PS3/PDF: 600/300 dpi	Paper Weight: Roll Paper:	51-134 g/m²		
	RP-GL/GL2: 600/400 dpi RTIFF: 600/400/300/200 dpi	PRINT CONTROLLER SPECIFICATION			
Warm-up time:	Less than 120 seconds (23 degrees Celsius)	Configuration:	Embedded		
First Copy Time:	18 sec @ A1/D LEF (Roll Feeder)	CPU:	Calpella (1.06 GHz)		
Maximum Copy Size:	(Metrics)		2.5 GB		
	914 mm x 15,000 mm (Roll Feeder)	Memory:			
	914 mm x 2,000 mm (Bypass)	HDD:	320 GB (Shared with Copy/Printer/ Scanner applications)		
	(Inches)	Operating System:	PS Driver		
	36" x 590.55" (Roll Feeder)		Windows		
Copy Speed:	36" x 70.74" (Bypass) 6.7 cpm / ppm @ A1/D LEF		Vista/7/8/8.1/10/2003server/2008server/ 2008R2server/2012server/2012serverR2		
Minimum Copy size:	(Metrics)		Mac OS (later than Mac OS10.7)		
	210 mm x 210 mm (Roll Feeder) 210 mm x 182 mm (Bypass)	Network Protocol:	TCP/IP (IPv4, IPv6), IPX/SPX (option); Auto switching available		
	(Inches)	Supported Print Language:	PostScript Level3 (PDF), RPCS,		
	8.27" x 8.27" (Roll Feeder)	Supported Thire Ediguage.	Emulation: HP-GL, HP-GL/ 2(HP-RTL), TIFF(CALS		
	8.27" x 7.17" (Bypass)	Font:	(PS) European 136 fonts		
Dimensions (WxDxH):	1250 × 755 × 1215 mm	Network Interface:	Standard: Ethernet 10/100BaseTX		
Weight:	230 kg	Network interface.	Option: Wireless LAN (802.11a/b/g/n)		
5	5	Interface Slot:			
Power Source: Power Consumption:	220V - 240V/ 8A 50/60Hz 1.84 Kw	Interface Slot.	Option Slot: 2 Slot USB-Host Slot: USB 2.0 host		
CANNER FEATURE		OTHER OPTIONS			
Colour Scanner		Multi Stacker Type 7140			
Optical Resolution:	Scan to email/folder: 150 / 200* / 300 / 400 /	Double Stacker Type 7140			
optical hesolution.	600* dpi,	Original Tray Type G			
	*Default for scan 200 dpi, for copy 600 dpi				
	Resolution: 150 to 2400 dpi (Copy)				
Scan Mode:	• • •	ontragin interface onit type			
	Text/Photo mode, Text/Drawing mode, Photo	ENVIRONMENTAL INFORMATION			
Scan Speed	Color: Text/Photo mode, Photo	Complies with Energy Star 1.1 standards. EPEAT 'GOLD'			
Scan Mode: Scan Speed:	Resolution: 150 to 2400 dpi (Copy) 150 to 1200 dpi (Scan) Mono: Drawing mode (Default), Text mode, Text/Photo mode, Text/Drawing mode, Photo mode, Gray scale				

RICOH imagine. change.

Scan Speed:

Protocol:

Maximum Scan Size:

Minimum Scan size

MEDIA HANDLING

Paper Feeding Capacity:



Mono: 80 mm/s (600 dpi) | Colour: 26.7 mm/s

Sending E-mail: SMTP AUTH, POP before SMTP

Max Width: 914 mm (Metric), 37.8" (Inches) Max Length: 150,000 mm (Matric), 590.55"

(Metric) 914.4 mm x 15,000 mm

(Inches) 36" x 590.55"

Network: TCP/IP

(Metric) 210 mm x 210 mm (Inches) 8.27" x 8.27"

Scan to Folder: SMB, FTP, NCP

2 Roll Feeder (Standard): Min Width: 210 mm

Max Diameter: Φ175 mm Bypass Feed (Standard): 1 sheet

(600 dpi)

(Inches)

Copywell Australia Pty Ltd 150 Cheltenham Road Dandenong Vic 3175 Ph: (03) 9793 7773 Email: sales@copywell.com.au

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear. Copyright @ 2015 Ricoh Asia Pacific Pte Ltd. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Asia Pacific Pte Ltd.